

A2

7. (Amended) A method according to, claim 4,
wherein said composite display comprises a transition between
said present and said changed display states.

A3

9. (Amended) A method according to claim 1, wherein
said selection step comprises positioning a cursor in a
vicinity of the soft control.

A4

17. (Amended) A method according to claim 1,
wherein the pop-up preview can be customised by defining user
preferences.

A5

19. (Amended) A method according to claim 1,
further comprising, prior to the displaying step, steps of:
coupling another soft control to said soft
control, wherein the change implementable by the soft control
is dependent upon a current setting of the other soft
control.

A6

Com't

26. (Amended) A computer program according to claim
23, wherein said code for the displaying step presents a
composite preview display comprising a present display state
and a changed display state, said present and changed display

A6
Cmcd

states reflecting the change being implementable by the soft control.

A7

29. (Amended) A computer program according to claim 26, wherein said composite display comprises a transition between said present and said changed display states.

A8

31. (Amended) A computer program according to claim 23, wherein said code for the selection step includes code for positioning a cursor in a vicinity of the soft control.

A9

39. (Amended) A computer program according to claim 23, further comprising:
code wherein the pop-up preview can be customised by defining user preferences.

A10

41. (Amended) A computer program according to claim 23, further comprising:
code for coupling another soft control to said soft control, wherein the change implementable by the soft control is dependent upon a current setting of the other soft control.

A11 47. (Amended) An apparatus according to claim 44,
wherein said means for the displaying step presents a
composite preview display comprising a present display state
and a changed display state, said present and changed display
states reflecting the change being implementable by the soft
control.

A12 50. (Amended) An apparatus according to claim 47,
wherein said composite display comprises a transition between
said present and said changed display states.

A13 52. (Amended) An apparatus according to claim 44,
wherein said means for the selection step includes means for
positioning a cursor in a vicinity of the soft control.

A14 60. (Amended) An apparatus according to claim 44,
further comprising:
means wherein the pop-up preview can be
customised by defining user preferences.

A15
Commit 62. (Amended) An apparatus according to claim 44,
further comprising: